



MODULAR SHELVING



EAB · MODULAR SHELVING



EAB's shelving stands extremely stable - moving neither sideways nor backwards and forwards. The secret lies in the intelligent design of both uprights as well as ends and shelves: bracket plates stabilise the ends through the underframe. Ingenious shelf clips fix the shelf in the correct position. And box profiles that are movable lengthways provide bearing capacity as well as a degree of flexibility in the shelving.

In other words, this is a stable solution that really lasts: both in the small storeroom as well as the large picking warehouse.

The shelving may be supplied in varying shelf depths, in different frame heights as well as with open or closed ends and backs.

Regardless of how you wish yours to look, trust us to ensure it arrives when we promise. We manufacture all our own fittings in our factory here in Smålandstenar; in this way we have full control of the entire process - from the drawing-board to the finished packaging with your name on the address label.

Very narrow aisle storage


Utilises the height of the storage space to maximum effect, is to build a very narrow aisle storage area where goods are picked with the aid of a fork-lift truck.

Mobile shelving

Shelving system mounted on mobile carts provides a compact storage but still a high accessibility. Vehicles run on rails and operated easily with steering wheel operation.

Mezzanine

Another alternative for using the ceiling height is to build a mezzanine facility and thereby acquire an additional floor level. Above the shelving a floor is erected. On the new floor level there is now the option of placing additional shelving or using it for the stacking of goods – a very economical way of doubling your storage area.



Mezzanine



Very narrow aisle storage



Mobile shelving



Base plinth and Front/Back stop



Dividers



Drawer unit




Single section



Shelving with door section



Shelving with plastic bins



Facts

Safety requirements

EAB's shelving fulfils all the safety requirements of INSTA 251 - the Scandinavian standard (SS 2241 - the Swedish designation) and European Standard SS-EN 15635.

Surface finish

The shelves are supplied galvanized alternatively painted with polyester paint in light grey. Uprights are painted dark grey. Side panels, back panels and dividers are painted light grey. Frame brace for side and base plate and back stop are galvanized.

Delivery

The shelving is delivered complete with uprights, frame brace, shelves, shelf clips and bolts. The instructions which accompany every delivery make assembly and mounting a simple matter.

EAB Built to last

Durability is a distinguishing characteristic of EAB. Our attention to detail and quality thinking are part of everything we do from selecting material to manufacturing, delivery and assembly. Durability also includes the relationships we have with our customers, suppliers and employees.

TECHNICAL DETAILS	MODULAR SHELVING	
	MEASUREMENT	MAX LOAD
A Height of frame	2000, 2500, 3000 mm	
B Depth of shelf	300, 400, 500, 600 mm	
C Starter bay width	1060 mm (at shelf width 1000 mm)	
D Extension bay	1010 mm (at shelf width 1000 mm)	
Shelf, width / max load	750, 1000 mm	200 kg, evenly distributed
Shelf, width / max load	1300 mm	120 kg, evenly distributed
Shelf, height	30 mm	
Max load per bay	1500 kg with standard bracing	
Slide panel, height	2000, 2500, 3000 mm	
Back panel, height	2000, 2500, 3000 mm	
Divider, height	200 mm	
Base plinth, height	40 mm	
Front, height	55 mm	
Door section, height*width	2000 * 1000 mm	
Drawer, height*width*depth	95 * 915 * 400/500 mm	

EAB Warehouse equipment: Pallet racking, Drive-in racking, Radioshuttle™, Live storage racking, Drawer unit, Cantilever racking, Timber racking, Vertical racking, Modular shelving, Barrier system and Plastic bins.



SE-333 33 SMÅLANDSSTENAR
TEL +46 371 340 00 www.eab.info



- + Wide range of Standard products
- + Five year guarantee
- + Concept, project management, construction and assembly
- + Tried-and-tested products
- + One project leader = a single contact person throughout the project
- + Production and product development at the same site
- + Extensive experience and solid know-how in steel structures (valuable know-how gained in many warehouse equipping projects)
- + Everything in good time. We ask any questions that arise before making our offer to avoid unnecessary extra costs
- + Our own testing department
- + A long-term approach to business and customer relationships